

## SUPPORTED EQUIPMENT SCHEDULE

The following chart depicts the current required Supported System specifications for EnterpriseRx<sup>®</sup>. These Supported System specifications may be updated by McKesson from time to time as may be necessary to maintain the proper operations of EnterpriseRx<sup>®</sup>. If Client runs any software other than EnterpriseRx, Client must ensure that the workstation meets the minimum requirements in addition to those required by EnterpriseRx. Any other configurations are subject to certification by McKesson. The certification of non-supported equipment may result in additional fees charged to Client.

<b>Component</b>	<b>System Requirements</b>
Operating System	Microsoft <sup>®</sup> Windows <sup>®</sup> XP Professional SP3 <sup>1</sup> Microsoft <sup>®</sup> Windows <sup>®</sup> 7 Professional 32/64 Bit Microsoft <sup>®</sup> Windows <sup>®</sup> Server 2003 32 Bit (Proxy Hub Only)
Processor	1.0GHz or greater CPU
Memory	1GB RAM (client) / 2GB (client and hub) or greater for Windows XP <sup>1</sup> or Windows 7 32 bit 4GB RAM (client and/or hub) or greater for Windows 7 64 bit
Hard Drive Space	5GB or greater available hard disk space
Pointing Device	Standard Windows <sup>®</sup> compatible keyboard and mouse
Network Card	10/100/1000 Mbps – Ethernet
Display	1024 x 768 resolution
Browser	Internet Explorer 8 or 9 for Windows 7 32 and 64 bit Internet Explorer 8 for Windows XP <sup>1</sup>
Java	Java 6 (for Reports Director only)
Antivirus Software	Client shall be solely responsible for acquiring and maintaining antivirus software and to institute mechanisms to prevent against viral infection of information or other corruption. McKesson recommends that Client run antivirus software that is current with the most recent virus definitions.
1 – MPS support ends on December 31, 2014.	

### Barcode Scanners

<b>Device Type</b>	<b>Device Manufacturer</b>	<b>Model(s)</b>	<b>Connection Type</b>
Preferred	Motorola	LS2208	USB
	Motorola	DS6878	USB
Supported	Motorola	LS4208	USB
	Honeywell	Hyperion 1300G	USB
	Honeywell	Xenon 1900G	USB
	Honeywell	MS3580 QuantumT	USB
	Honeywell	MS3780	USB
	Datalogic	QD2130	USB
	Datalogic	Gryphon 4400	USB
	Intermec	SG20B	USB
	Motorola	LS3578 <sup>1</sup>	USB

Third Party Discontinued	Motorola	LS9203 <sup>1</sup>	USB
	Motorola	LS3478 <sup>1</sup>	USB
	Motorola	MX2007 <sup>1</sup>	USB
	Honeywell	MS9535 Voyager BT <sup>2</sup>	USB
	Honeywell	MS1690	USB
	Honeywell	MS6720	USB
	Honeywell	5620/3820G	USB
	Honeywell	3800G	USB
1 – Windows XP Only. MPS support ends on December 31, 2014.			
2 – MPS support ends on December 31, 2014.			

### Dot Matrix Printers

Device Type	Device Manufacturer	Model(s)	Connection Type
Supported	Okidata	490	Parallel
	Okidata	491	Parallel
The Okidata dot matrix printers are certified for use with LTC labels (piggyback) and forms (MAR, treatment sheets, and physician orders) that require tractor feed or forms that use NCR paper for multiple copies.			

### Image Scanners

Device Type	Device Manufacturer	Model(s)	Connection Type
Preferred	Xerox	Documate 3125	USB
Supported	Fujitsu	FI-7160	USB
	Visioneer	Strobe 500N	USB
	Xerox	Documate 152, Documate 3115	USB
	Kodak	i1120, i1220	USB
	Canon	DR-2010c	USB
Third Party Discontinued	Fujitsu	FI-5120C	USB
	Fujitsu	FI-6130	USB
	Microtec	ArtixScanD 1210 <sup>1</sup>	USB
	Visioneer	Strobe XP100 <sup>1</sup> , Strobe XP220 <sup>1</sup>	USB
	Visioneer	RoadWarrior <sup>1</sup>	USB
1 – MPS support ends on December 31, 2014.			

### Laser Printers

Device Type	Device Manufacturer	Model(s)	Connection Type
Preferred	Lexmark	MS810DN, MS811DN, MS812DN	Ethernet

Supported	Lexmark Lexmark Lexmark Xerox Xerox Kyocera Kyocera Dell Dell HP HP HP	X342n Optra S 1855 736dn <sup>1</sup> Phaser 4500 Phaser 4600DT, 4620 FS-3820N FS-3900DN M5200 3330dn LJ P4014n <sup>1</sup> LJ P-4515TN LJ 4250TN M600 Series PCL 6 (D/DN)	Ethernet Ethernet Ethernet Ethernet Ethernet, USB Ethernet Ethernet Ethernet Ethernet Ethernet Ethernet Ethernet
Third Party Discontinued	Lexmark	T440, T610, T612, T620, T630, T632, T640, T642, T644, T650, T652, T654	Ethernet Ethernet Ethernet
1 – Currently the EnterpriseRx <sup>®</sup> forms editor does not support generating color print. However, pass through data may be printed in color.			

### Signature Capture Devices

Device Type	Device Manufacturer	Model(s)	Connection Type
Preferred	Equinox	L5300	Ethernet
Supported	Verifone	MX870	Serial, USB
Third Party Discontinued	Handheld Products Handheld Products Handheld Products	8500 8501 8810	Ethernet Ethernet Ethernet

### Thermal Printers

Device Type	Device Manufacturer	Model(s)	Connection Type
Preferred	Zebra	GK420D, GX420D	Ethernet, USB
Supported	Intermec Epson Sato	EasyCoder PC43D TM-L90 CG412 <sup>1</sup>	USB Ethernet Ethernet
Third Party Discontinued	Zebra Intermec Intermec	LP2844 EasyCoder PC4 PF8D <sup>2</sup>	Ethernet, USB USB Ethernet
1 – ZPL support only.			
2 – MPS support ends on December 31, 2014.			